



- Abordo, E.A., see Westwood, M.E. (1356) 84
- Aguirre Ghiso, J.A., Alonso, D.F., Farías, E.F. and Bal de Kier Joffé, E.
Overproduction of urokinase-type plasminogen activator is regulated
by phospholipase D- and protein kinase C-dependent pathways in
murine mammary adenocarcinoma cells (1356) 171
- Alonso, D.F., see Aguirre Ghiso, J.A. (1356) 171
- Argirov, O.K., see Westwood, M.E. (1356) 84
- Bachmann, M., Grözl, D., Bartsch, H., Klein, R.R. and Tröster, H.
Analysis of expression of an alternative La (SS-B) cDNA and local-
ization of the encoded N- and C-terminal peptides (1356) 53
- Bal de Kier Joffé, E., see Aguirre Ghiso, J.A. (1356) 171
- Barrett, P., Conway, S., Jockers, R., Strosberg, A.D., Guardiola-Lemaitre,
B., Delagrangé, P. and Morgan, P.J.
Cloning and functional analysis of a polymorphic variant of the ovine
Mel 1a melatonin receptor (1356) 299
- Bartsch, H., see Bachmann, M. (1356) 53
- Bégeot, M., see Penhoat, A. (1356) 249
- Belfrage, P., see Ekholm, D. (1356) 64
- Bloch, A., see Li, Z.-r. (1356) 149
- Bolton, E.J., Jessup, W., Stanley, K.K. and Dean, R.T.
Loading with oxidised low density lipoprotein alters endocytic and
secretory activities of murine macrophages (1356) 12
- Brodt, P., see Durko, M. (1356) 271
- Brown, J.F., see Byrne, C.R. (1356) 131
- Burbidge, S.A., Webber, P.M. and Jones, E.A.
Isolation of a *Xenopus laevis* genomic clone representing a novel
N-cadherin related gene (1356) 253
- Byers, D.M., see Douglas, D.N. (1356) 121
- Byrne, C.R., Price, K.J., Williams, J.M., Brown, J.F., Hanson, P.J. and
Whittle, B.J.R.
Nitric oxide synthase and arginase in cells isolated from the rat gastric
mucosa (1356) 131
- Calle, R.A., see Kumar, R. (1356) 221
- Chan, H.C., Liu, C.Q., Fong, S.K., Law, S.H., Leung, P.S., Leung, P.Y.,
Fu, W.O., Cheng Chew, S.B. and Wong, P.Y.D.
Electrogenic ion transport in the mouse endometrium: functional
aspects of the cultured epithelium (1356) 140
- Charron, M.J., see Li, J. (1356) 229
- Cheng Chew, S.B., see Chan, H.C. (1356) 140
- Chmurzyńska, W., see Manteuffel-Cymborowska, M. (1356) 292
- Conway, S., see Barrett, P. (1356) 299
- Cook, H.W., see Douglas, D.N. (1356) 121
- Dean, R.T., see Bolton, E.J. (1356) 12
- Degerman, E., see Ekholm, D. (1356) 64
- Delagrangé, P., see Barrett, P. (1356) 299
- Deschenes, R.J., see Quinby, G.E. (1356) 23
- Douglas, D.N., Fink, H.-S., Rosé, S.D., Ridgway, N.D., Cook, H.W. and
Byers, D.M.
Inhibitors of actin polymerization and calmodulin binding enhance
protein kinase C-induced translocation of MARCKS in C6 glioma
cells (1356) 121
- Durand, P., see Penhoat, A. (1356) 249
- Durko, M., Navab, R., Shibata, H.R. and Brodt, P.
Suppression of basement membrane type IV collagen degradation and
cell invasion in human melanoma cells expressing an antisense RNA
for MMP-1 (1356) 271
- Düzgüneş, N., see Konopka, K. (1356) 185
- Ebel, U., see Szamel, M. (1356) 237
- Ejima, K., see Kaku, Y. (1356) 43
- Ekholm, D., Belfrage, P., Manganiello, V. and Degerman, E.
Protein kinase A-dependent activation of PDE4 (cAMP-specific cyclic
nucleotide phosphodiesterase) in cultured bovine vascular smooth
muscle cells (1356) 64
- Exton, J.H., see Yeo, E.-J. (1356) 308
- Farías, E.F., see Aguirre Ghiso, J.A. (1356) 171
- Felgner, P.L., see Konopka, K. (1356) 185
- Fenton II, J.W., see Manolopoulos, V.G. (1356) 321
- Fink, H.-S., see Douglas, D.N. (1356) 121
- Fong, S.K., see Chan, H.C. (1356) 140
- Fu, W.O., see Chan, H.C. (1356) 140
- Fukao, H., Ueshima, S., Takaishi, T., Okada, K. and Matsuo, O.
Enhancement of tissue-type plasminogen activator (t-PA) activity by
purified t-PA receptor expressed in human endothelial cells (1356)
111
- Ganapathy, V., see Torres-Zamorano, V. (1356) 258
- García, L.J., Pradhan, T.K., Weber, H.C., Moody, T.W. and Jensen, R.T.
The gastrin-releasing peptide receptor is differentially coupled to
adenylate cyclase and phospholipase C in different tissues (1356) 343
- Getmanova, E.V., see Parnova, R.G. (1356) 160
- Goret, F., see Vanhove, B. (1356) 1
- Grözl, D., see Bachmann, M. (1356) 53
- Grzelakowska-Sztabert, B., see Manteuffel-Cymborowska, M. (1356) 292
- Guardiola-Lemaitre, B., see Barrett, P. (1356) 299
- Hagiwara, K., see Yano, Y. (1356) 35
- Hamada, E., Nakajima, T., Hata, Y., Hazama, H., Iwasawa, K., Taka-
hashi, M., Ota, S.-i. and Omata, M.
Effect of caffeine on mucus secretion and agonist-dependent Ca²⁺
mobilization in human gastric mucus secreting cells (1356) 198
- Hanson, P.J., see Byrne, C.R. (1356) 131
- Harrison, G.S., see Konopka, K. (1356) 185
- Hata, Y., see Hamada, E. (1356) 198
- Hazama, H., see Hamada, E. (1356) 198
- Hoskin, D.W., see Stewart, B.H. (1356) 333
- Hromchak, R., see Li, Z.-r. (1356) 149



- Abordo, E.A., see Westwood, M.E. (1356) 84
- Aguirre Ghiso, J.A., Alonso, D.F., Farías, E.F. and Bal de Kier Joffé, E.
Overproduction of urokinase-type plasminogen activator is regulated
by phospholipase D- and protein kinase C-dependent pathways in
murine mammary adenocarcinoma cells (1356) 171
- Alonso, D.F., see Aguirre Ghiso, J.A. (1356) 171
- Argirov, O.K., see Westwood, M.E. (1356) 84
- Bachmann, M., Grözl, D., Bartsch, H., Klein, R.R. and Tröster, H.
Analysis of expression of an alternative La (SS-B) cDNA and local-
ization of the encoded N- and C-terminal peptides (1356) 53
- Bal de Kier Joffé, E., see Aguirre Ghiso, J.A. (1356) 171
- Barrett, P., Conway, S., Jockers, R., Strosberg, A.D., Guardiola-Lemaitre,
B., Delagrangé, P. and Morgan, P.J.
Cloning and functional analysis of a polymorphic variant of the ovine
Mel 1a melatonin receptor (1356) 299
- Bartsch, H., see Bachmann, M. (1356) 53
- Bégeot, M., see Penhoat, A. (1356) 249
- Belfrage, P., see Ekholm, D. (1356) 64
- Bloch, A., see Li, Z.-r. (1356) 149
- Bolton, E.J., Jessup, W., Stanley, K.K. and Dean, R.T.
Loading with oxidised low density lipoprotein alters endocytic and
secretory activities of murine macrophages (1356) 12
- Brodt, P., see Durko, M. (1356) 271
- Brown, J.F., see Byrne, C.R. (1356) 131
- Burbidge, S.A., Webber, P.M. and Jones, E.A.
Isolation of a *Xenopus laevis* genomic clone representing a novel
N-cadherin related gene (1356) 253
- Byers, D.M., see Douglas, D.N. (1356) 121
- Byrne, C.R., Price, K.J., Williams, J.M., Brown, J.F., Hanson, P.J. and
Whittle, B.J.R.
Nitric oxide synthase and arginase in cells isolated from the rat gastric
mucosa (1356) 131
- Calle, R.A., see Kumar, R. (1356) 221
- Chan, H.C., Liu, C.Q., Fong, S.K., Law, S.H., Leung, P.S., Leung, P.Y.,
Fu, W.O., Cheng Chew, S.B. and Wong, P.Y.D.
Electrogenic ion transport in the mouse endometrium: functional
aspects of the cultured epithelium (1356) 140
- Charron, M.J., see Li, J. (1356) 229
- Cheng Chew, S.B., see Chan, H.C. (1356) 140
- Chmurzyńska, W., see Manteuffel-Cymborowska, M. (1356) 292
- Conway, S., see Barrett, P. (1356) 299
- Cook, H.W., see Douglas, D.N. (1356) 121
- Dean, R.T., see Bolton, E.J. (1356) 12
- Degerman, E., see Ekholm, D. (1356) 64
- Delagrangé, P., see Barrett, P. (1356) 299
- Deschenes, R.J., see Quinby, G.E. (1356) 23
- Douglas, D.N., Fink, H.-S., Rosé, S.D., Ridgway, N.D., Cook, H.W. and
Byers, D.M.
Inhibitors of actin polymerization and calmodulin binding enhance
protein kinase C-induced translocation of MARCKS in C6 glioma
cells (1356) 121
- Durand, P., see Penhoat, A. (1356) 249
- Durko, M., Navab, R., Shibata, H.R. and Brodt, P.
Suppression of basement membrane type IV collagen degradation and
cell invasion in human melanoma cells expressing an antisense RNA
for MMP-1 (1356) 271
- Düzgüneş, N., see Konopka, K. (1356) 185
- Ebel, U., see Szamel, M. (1356) 237
- Ejima, K., see Kaku, Y. (1356) 43
- Ekholm, D., Belfrage, P., Manganiello, V. and Degerman, E.
Protein kinase A-dependent activation of PDE4 (cAMP-specific cyclic
nucleotide phosphodiesterase) in cultured bovine vascular smooth
muscle cells (1356) 64
- Exton, J.H., see Yeo, E.-J. (1356) 308
- Farías, E.F., see Aguirre Ghiso, J.A. (1356) 171
- Felgner, P.L., see Konopka, K. (1356) 185
- Fenton II, J.W., see Manolopoulos, V.G. (1356) 321
- Fink, H.-S., see Douglas, D.N. (1356) 121
- Fong, S.K., see Chan, H.C. (1356) 140
- Fu, W.O., see Chan, H.C. (1356) 140
- Fukao, H., Ueshima, S., Takaishi, T., Okada, K. and Matsuo, O.
Enhancement of tissue-type plasminogen activator (t-PA) activity by
purified t-PA receptor expressed in human endothelial cells (1356)
111
- Ganapathy, V., see Torres-Zamorano, V. (1356) 258
- García, L.J., Pradhan, T.K., Weber, H.C., Moody, T.W. and Jensen, R.T.
The gastrin-releasing peptide receptor is differentially coupled to
adenylate cyclase and phospholipase C in different tissues (1356) 343
- Getmanova, E.V., see Parnova, R.G. (1356) 160
- Goret, F., see Vanhove, B. (1356) 1
- Grözl, D., see Bachmann, M. (1356) 53
- Grzelakowska-Sztabert, B., see Manteuffel-Cymborowska, M. (1356) 292
- Guardiola-Lemaitre, B., see Barrett, P. (1356) 299
- Hagiwara, K., see Yano, Y. (1356) 35
- Hamada, E., Nakajima, T., Hata, Y., Hazama, H., Iwasawa, K., Taka-
hashi, M., Ota, S.-i. and Omata, M.
Effect of caffeine on mucus secretion and agonist-dependent Ca²⁺
mobilization in human gastric mucus secreting cells (1356) 198
- Hanson, P.J., see Byrne, C.R. (1356) 131
- Harrison, G.S., see Konopka, K. (1356) 185
- Hata, Y., see Hamada, E. (1356) 198
- Hazama, H., see Hamada, E. (1356) 198
- Hoskin, D.W., see Stewart, B.H. (1356) 333
- Hromchak, R., see Li, Z.-r. (1356) 149

- Hughes, R.J., Pasillas, M., Saiz, J., Jasper, J. and Insel, P.A.
Decreased transcript expression coincident with impaired glycosylation in the β_2 -adrenergic receptor gene does not result from differences in the primary sequence (1356) 281
- Ichikawa, T., see Yano, Y. (1356) 35
- Ikeda, M., see Kaku, Y. (1356) 43
- Insel, P.A., see Hughes, R.J. (1356) 281
- Iwasawa, K., see Hamada, E. (1356) 198
- Jaillard, C., see Penhoat, A. (1356) 249
- Jasper, J., see Hughes, R.J. (1356) 281
- Jensen, R.T., see García, L.J. (1356) 343
- Jessup, W., see Bolton, E.J. (1356) 12
- Jockers, R., see Barrett, P. (1356) 299
- Jones, E.A., see Burbidge, S.A. (1356) 253
- Kaalhus, O., see Mikalsen, S.-O. (1356) 207
- Kaever, V., see Szamel, M. (1356) 237
- Kaku, Y., Nanri, H., Sakimura, T., Ejima, K., Kuroiwa, A. and Ikeda, M.
Differential induction of constitutive and inducible nitric oxide synthases by distinct inflammatory stimuli in bovine aortic endothelial cells (1356) 43
- Kekuda, R., see Torres-Zamorano, V. (1356) 258
- Klein, R.R., see Bachmann, M. (1356) 53
- Klement, D., see Štulc, T. (1356) 95
- Komissarchik, Y.Y., see Parnova, R.G. (1356) 160
- Konopka, K., Harrison, G.S., Felgner, P.L. and Düzgüneş, N.
Cationic liposome-mediated expression of HIV-regulated luciferase and diphtheria toxin A genes in HeLa cells infected with or expressing HIV (1356) 185
- Korolev, E.V., see Parnova, R.G. (1356) 160
- Kumar, R., Von Geldern, T.W., Calle, R.A. and Pandey, K.N.
Stimulation of atrial natriuretic peptide receptor/guanylyl cyclase - A signaling pathway antagonizes the activation of protein kinase C- α in murine Leydig cells (1356) 221
- Kuroiwa, A., see Kaku, Y. (1356) 43
- Kvasnička, J., see Štulc, T. (1356) 95
- Larocca, J.N., see Li, J. (1356) 229
- Law, S.H., see Chan, H.C. (1356) 140
- Leibach, F.H., see Torres-Zamorano, V. (1356) 258
- Lelkes, P.I., see Manolopoulos, V.G. (1356) 321
- Leung, P.S., see Chan, H.C. (1356) 140
- Leung, P.Y., see Chan, H.C. (1356) 140
- Li, J., Larocca, J.N., Rodriguez-Gabin, A.G. and Charron, M.J.
Expression and signal transduction of the glucagon receptor in β TC3 cells (1356) 229
- Li, Z.-r., Hromchak, R. and Bloch, A.
Differential expression of proteins regulating cell cycle progression in growth vs. differentiation (1356) 149
- Liu, C.Q., see Chan, H.C. (1356) 140
- Manganiello, V., see Ekholm, D. (1356) 64
- Manolopoulos, V.G., Fenton II, J.W. and Lelkes, P.I.
The thrombin receptor in adrenal medullary microvascular endothelial cells is negatively coupled to adenyl cyclase through a G_i protein (1356) 321
- Manteuffel-Cymborowska, M., Pęska, M., Chmurzyńska, W. and Grzelakowska-Sztabert, B.
Catecholamines are required for androgen-induced ODC expression but not for hypertrophy of mouse kidney (1356) 292
- Matsuo, O., see Fukao, H. (1356) 111
- Mikalsen, S.-O. and Kaalhus, O.
A characterization of permolybdate and its effect on cellular tyrosine phosphorylation, gap junctional intercellular communication and phosphorylation status of the gap junction protein, connexin43 (1356) 207
- Moody, T.W., see García, L.J. (1356) 343
- Morgan, P.J., see Barrett, P. (1356) 299
- Murakami, A., see Yano, Y. (1356) 35
- Nagao, T., see Urushidani, T. (1356) 71
- Nakajima, T., see Hamada, E. (1356) 198
- Nanri, H., see Kaku, Y. (1356) 43
- Natochin, Yu.V., see Parnova, R.G. (1356) 160
- Navab, R., see Durko, M. (1356) 271
- Naville, D., see Penhoat, A. (1356) 249
- Ogita, M., see Yano, Y. (1356) 35
- Okada, K., see Fukao, H. (1356) 111
- Omata, M., see Hamada, E. (1356) 198
- Ota, S.-i., see Hamada, E. (1356) 198
- Otani, S., see Yano, Y. (1356) 35
- Pandey, K.N., see Kumar, R. (1356) 221
- Parnova, R.G., Schakhmatova, E.I., Plesneva, S.A., Getmanova, E.V., Korolev, E.V., Komissarchik, Y.Y. and Natochin, Yu.V.
Role of prostaglandin E₂ in regulation of low and high water osmotic permeability in frog urinary bladder (1356) 160
- Pasillas, M., see Hughes, R.J. (1356) 281
- Penhoat, A., Naville, D., Jaillard, C., Durand, P. and Bégeot, M.
Presence of multiple functional polyadenylation signals in the 3'-untranslated region of human corticotropin receptor cDNA (1356) 249
- Pęska, M., see Manteuffel-Cymborowska, M. (1356) 292
- Plesneva, S.A., see Parnova, R.G. (1356) 160
- Pourcel, C., see Vanhove, B. (1356) 1
- Pradhan, T.K., see García, L.J. (1356) 343
- Price, K.J., see Byrne, C.R. (1356) 131
- Provost, J.J., see Yeo, E.-J. (1356) 308
- Quek, L., see Rezaei, E. (1356) 101
- Quinby, G.E. and Deschenes, R.J.
An amino terminal prosequence is required for efficient synthesis of *S. cerevisiae* α -factor (1356) 23
- Resch, K., see Szamel, M. (1356) 237
- Rezaei, E., Quek, L. and Watson, S.P.
A novel inhibitory action of wheat germ agglutinin on phospholipase C in HEL and MEG-01 cell lines (1356) 101
- Ridgway, N.D., see Douglas, D.N. (1356) 121
- Rodriguez-Gabin, A.G., see Li, J. (1356) 229
- Rosé, S.D., see Douglas, D.N. (1356) 121
- Saiz, J., see Hughes, R.J. (1356) 281
- Sakimura, T., see Kaku, Y. (1356) 43
- Schakhmatova, E.I., see Parnova, R.G. (1356) 160
- Shibata, H.R., see Durko, M. (1356) 271
- Soulillou, J.-P., see Vanhove, B. (1356) 1
- Stanley, K.K., see Bolton, E.J. (1356) 12
- Štěpán, J.J., see Štulc, T. (1356) 95
- Stewart, B.H. and Hoskin, D.W.
Inhibition of protein tyrosine kinases or protein kinase C prevents nonspecific killer T lymphocyte-mediated tumoricidal activity (1356) 333

- Strosberg, A.D., see Barrett, P. (1356) 299
- Štulc, T., Klement, D., Kvasnička, J. and Štěpán, J.J.
Immunocytochemical detection of estrogen receptors in bone cells using flow cytometry (1356) 95
- Szamel, M., Ebel, U., Uciechowski, P., Kaever, V. and Resch, K.
T cell antigen receptor dependent signalling in human lymphocytes: cholera toxin inhibits interleukin-2 receptor expression but not interleukin-2 synthesis by preventing activation of a protein kinase C isotype, PKC- α (1356) 237
- Takahashi, M., see Hamada, E. (1356) 198
- Takaishi, T., see Fukao, H. (1356) 111
- Thornalley, P.J., see Westwood, M.E. (1356) 84
- Torres-Zamorano, V., Kekuda, R., Leibach, F.H. and Ganapathy, V.
Tyrosine phosphorylation-and epidermal growth factor-dependent regulation of the sodium-coupled amino acid transporter B⁰ in the human placental choriocarcinoma cell line JAR (1356) 258
- Tröster, H., see Bachmann, M. (1356) 53
- Uchida, M., see Yano, Y. (1356) 35
- Uciechowski, P., see Szamel, M. (1356) 237
- Ueshima, S., see Fukao, H. (1356) 111
- Urushidani, T. and Nagao, T.
Ca²⁺-dependent membrane bound protein fraction from rabbit gastric mucosa contains a protein whose histidyl residue is phosphorylated (1356) 71
- Vanhove, B., Goret, F., Soullou, J.-P. and Pourcel, C.
Porcine $\alpha_{1,3}$ -galactosyltransferase: tissue-specific and regulated expression of splicing isoforms (1356) 1
- Von Geldern, T.W., see Kumar, R. (1356) 221
- Watson, S.P., see Rezaei, E. (1356) 101
- Webber, P.M., see Burbidge, S.A. (1356) 253
- Weber, H.C., see García, L.J. (1356) 343
- Westwood, M.E., Argirov, O.K., Abordo, E.A. and Thornalley, P.J.
Methylglyoxal-modified arginine residues — a signal for receptor-mediated endocytosis and degradation of proteins by monocytic THP-1 cells (1356) 84
- Whittle, B.J.R., see Byrne, C.R. (1356) 131
- Williams, J.M., see Byrne, C.R. (1356) 131
- Wong, P.Y.D., see Chan, H.C. (1356) 140
- Yano, T., see Yano, Y. (1356) 35
- Yano, Y., Yano, T., Uchida, M., Murakami, A., Ogita, M., Ichikawa, T., Otani, S. and Hagiwara, K.
The inhibitory effect of vitamin E on pulmonary polyamine biosynthesis, cell proliferation and carcinogenesis in mice (1356) 35
- Yeo, E.-J., Provost, J.J. and Exton, J.H.
Dissociation of tyrosine phosphorylation and activation of phosphoinositide phospholipase C induced by the protein kinase C inhibitor Ro-31-8220 in Swiss 3T3 cells treated with platelet-derived growth factor (1356) 308

